

DATE 11-6-07

APPLICATION NUMBER 06/737880

DOC CODE TERM-PTO-LTI

DOC DATE 5-28-96

DELIVER THE ATTACHED FILE/DOCUMENT TO THE TC
SCANNING CENTER

CONTRACTOR: THE ATTACHED FILE/DOCUMENT MUST BE
INDEXED AND SCANNED INTO IFW WITHIN 8 WORK HOURS;
UPLOADING OF THE SCANNED IMAGES SHOULD OCCUR NO
LATER THAN 16 WORK HOURS
FOLLOWING RECEIPT OF THIS REQUEST

AFTER SCANNING, ORIGINAL DOCUMENTS SHOULD BE BOXED IN
ACCORDANCE WITH INSTRUCTIONS

MAY 28 1996



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER
OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

Ronald L. Wilson, Director
Health Assessment Policy Staff
Office of Health Affairs (HFY-20)
Food and Drug Administration
5600 Fishers Lane, Room 11-44
Rockville, MD 20857

Dear Mr. Wilson:

The attached application for patent term extension of U.S. Patent No. 4,637,994, which issued January 20, 1987, was filed on April 19, 1996, under 35 U.S.C. § 156.

The assistance of your Office is requested in confirming that the product identified in the application, LA-15® System, has been subject to a regulatory review period within the meaning of 35 U.S.C. § 156(g) before its first commercial marketing or use and that the application for patent term extension was filed within sixty days after the product was approved. Since a determination has not been made whether the patent in question claims a product which has been subject to the Federal Food, Drug and Cosmetic Act, this communication is NOT to be considered as notice which may be made in the future pursuant to 35 U.S.C. § 156(d)(2)(A).

Our review of the application to date indicates that the subject patent would be eligible for extension of the patent term under 35 U.S.C. § 156.

Hiram A. Bernstein
Senior Legal Advisor
Special Program Law Office
Office of the Deputy Assistant Commissioner
for Patent Policy and Projects

(703) 305-9285

cc: Louis Gubinsky
Sughrue, Mion, Zinn, Macpeak & Seas
2100 Pennsylvania Ave., N.W.
Washington, D.C. 20037-3202

kt